L Number	Hite	Search Text	DB	Time stamp
- Number	5216		USPAT;	2004/01/15 17:27
	3223	(400/61-63)).CCLS.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1310		USPAT;	2004/06/21 20:21
		machine))) same (network lan) same set\$4	US-PGPUB;	
		same information	EPO; JPO;	
İ			DERWENT;	
		l	IBM_TDB	000.404.45.47.05
-	12	(printer (printing adj (device apparatus	USPAT;	2004/01/15 17:35
		machine))) same (network lan) same set\$4	US-PGPUB;	
		same (notification or notify) same	EPO; JPO; DERWENT;	
		administrator	IBM TDB	
<u> </u> _	3	   (printer (printing adj (device apparatus	USPAT;	2004/01/15 17:43
-		machine))) same (network lan) same set\$4	US-PGPUB;	2004/01/15 17.45
		same information same input\$4 same admin\$7	EPO; JPO;	
		Same information same inputy a same daming,	DERWENT;	
			IBM TDB	
-	28	(printer (printing adj (device apparatus	USPĀT;	2004/01/15 17:45
		machine))) same (network lan) same (set\$4	US-PGPUB;	
		modif\$5) same information same printing	EPO; JPO;	
		same condition	DERWENT;	
			IBM_TDB	
-	54		USPAT;	2004/01/15 17:58
		machine))) same (network lan) same (set\$4	US-PGPUB;	
		chang\$4) same information same	EPO; JPO;	
		administrator same access\$4	DERWENT;	
			IBM_TDB	
<del>-</del>	10	1 '	USPAT	2004/01/15 18:16
		"4866664"   "4972183"   "4974199"		
		"5007013"   "5018079"   "5023604"		
	0.1	"5075875").PN.	NODAM.	0004/01/15 10:00
-	21	(((400/76) or (400/70-71) or	USPAT;	2004/01/15 18:22
		(400/61-63)).CCLS.) and ((printer	US-PGPUB;	İ
		(printing adj (device apparatus machine)))	EPO; JPO;	
		same (network lan) same set\$4 same information)	DERWENT; IBM TDB	
_	21	(printer (printing adj (device apparatus	USPAT;	2004/01/15 18:27
		machine))) same (network lan) same chang\$4	US-PGPUB;	2001/01/13 10.2/
		same information same set\$4 same	EPO; JPO;	
		administrator	DERWENT;	
			IBM TDB	
-	9	(printer (printing adj (device apparatus	USPĀT;	2004/01/15 18:32
		machine))) same (network lan) same	US-PGPUB;	
		administrator same user same (password or	EPO; JPO;	
		(pass adj word))	DERWENT;	
			IBM_TDB	0004405455
-	9	'F = =	USPAT;	2004/03/07 17:01
		machine))) same (network lan) same set\$4	US-PGPUB;	
		same information same (notif\$5 transmit\$5)	EPO; JPO;	
		same administrator	DERWENT; IBM TDB	
_	30	("3680052"   "5075875"   "5084875"	USPAT	2004/03/07 16:54
	]	"5153876"   "5164842"   "5214772"	OSTAI	2004/03/07 10.54
		"5220566"   "5220674"   "5226112"		
		"5247623"   "5271065"   "53033336"	1	
		"5323393"   "5333286"   "5353388"		
		"5361265"   "5371837"   "5426421"		
		"5438528"   "5448624"   "5481254"		
		"5481742"   "5491796"   "5535406"		
		"5546539"   "5550957"   "5583749"		
		"5611046"   "5692111"   "5771381").PN.		
-	0	(printer (printing adj (device apparatus	USPAT;	2004/03/07 17:03
		machine system))) and (network lan) and	US-PGPUB;	
		(set\$5 same information same configuration	EPO; JPO;	
		same notif\$5 same ((administrator manager)	DERWENT;	
		near2 terminal))	IBM TDB	

			T	
-	202	(printer (printing adj (device apparatus machine system))) and (network lan) and	USPAT; US-PGPUB;	2004/03/07 17:06
		((set\$5 chang\$5) same configuration same	EPO; JPO;	
		notif\$5 same (administrator manager))	DERWENT;	
		l	IBM_TDB	
-	167		USPAT; US-PGPUB;	2004/03/07 17:10
		machine system))) and (network lan) and ((set\$5 chang\$5) same configuration same	EPO; JPO;	
		notif\$5 same (administrator manager) same	DERWENT;	
:	_	user)	IBM_TDB	0004/00/05 45 44
-	3	(network lan) and ((set\$5 chang\$5) same printer same configuration same notif\$5	USPAT; US-PGPUB;	2004/03/07 17:11
		same (administrator manager) same user)	EPO; JPO;	
		(	DERWENT;	
		4 105 1 05 11505)	IBM_TDB	0004/03/07 17:00
-	53	<pre>(set\$5 chang\$5 modif\$5) same (printer or (printing adj (device machine apparatus)))</pre>	USPAT; US-PGPUB;	2004/03/07 17:29
		same (configur\$6 information) same notif\$5	EPO; JPO;	
		same (administrator manager)	DERWENT;	
!	_	(#5201226#   #5400716#   #5572640#	IBM_TDB	0004/02/07 17:05
-	6	("5301336"   "5488716"   "5572640"     "5655081"   "5682523"   "5822534").PN.	USPĀT	2004/03/07 17:25
_	228	(set\$5 chang\$5 modif\$5) same (printer or	USPAT;	2004/03/07 17:34
		(printing adj (device machine apparatus)))	US-PGPUB;	
		same configur\$6 same (store storing) same	EPO; JPO;	
		memory	DERWENT;	
_	20		USPĀT;	2004/07/22 19:20
		(printing adj (device machine apparatus)))	US-PGPUB;	
		same configur\$6 same (store storing) same memory	EPO; JPO; DERWENT;	
		memory	IBM TDB	
_	6	,===,=, =====,=, ======	USPĀT;	2004/03/07 17:35
		(printing adj (device machine apparatus)))	US-PGPUB;	
		same configur\$6 same (store storing) same memory same administrator	EPO; JPO; DERWENT;	
		momory same deministrator	IBM TDB	
-	25		USPĀT;	2004/06/21 19:18
		(printing adj (device machine apparatus))) same configur\$6 same (store storing) same	US-PGPUB;	
		memory and administrator	EPO; JPO; DERWENT;	
		-	IBM_TDB	
-	87	(printer (printing adj (device apparatus	USPĀT;	2004/03/07 17:58
		machine))) same (network lan) same (set\$4 chang\$4) same information same	US-PGPUB; EPO; JPO;	
		administrator	DERWENT;	
			IBM_TDB	
-	30	("3680052"   "5075875"   "5084875"	USPĀT	2004/03/07 17:43
		"5153876"   "5164842"   "5214772"     "5220566"   "5220674"   "5226112"		
		"5247623"   "5271065"   "5303336"		
		"5323393"   "5333286"   "5353388"		
		"5361265"   "5371837"   "5426421"     "5438528"   "5448624"   "5481254"		
		3436326		
		"5546539"   "5550957"   "5583749"		
	350	"5611046"   "5692111"   "5771381").PN.	HODE	2004/06/16 14 52
-	759	<pre>(printer (printing adj (device apparatus machine))) same (set setting) same input\$4</pre>	USPAT; US-PGPUB;	2004/06/16 14:53
		same information same (recording storing)	EPO; JPO;	
		,	DERWENT;	
	47	(printer (printing adj (device apparatus	IBM_TDB USPAT;	2004/03/07 18:03
	4/	machine))) same (set setting) same input\$4	USPAT; US-PGPUB;	2004/03/0/ 18:03
		same information same (recording storing)	EPO; JPO;	
		same (memory storage) same control\$4 same	DERWENT;	
_	18	communication (printer (printing adj (device apparatus	IBM_TDB USPAT;	2004/03/07 18:05
	10	machine))) same (set setting) same input\$4	US-PGPUB;	2004/03/07 10:03
		same component\$1 same display same	EPO; JPO;	
		information same (recording storing) same	DERWENT;	
		(memory storage)	IBM_TDB	

_	27	(printer (printing adj (device apparatus	USPAT;	2004/03/07 18:06
		machine))) same (set setting setup) same	US-PGPUB;	
		input\$4 same configur\$5 same information	EPO; JPO;	
		same (recording storing) same (memory	DERWENT;	
	1	storage)	IBM_TDB USPAT;	2004/06/15 13:27
-	20		US-PGPUB;	2004/06/15 13:27
		<pre>same notifi\$5 same (printer (printing adj (device machine apparatus)))</pre>	EPO; JPO;	
		(device machine apparacus///	DERWENT;	
			IBM TDB	
1_	1	"06320845"	JPO JPO	2004/06/16 14:43
_	45		USPAT;	2004/06/16 16:09
		(printer (printing adj (device apparatus	US-PGPUB;	
1		machine))) same (set setting) same input\$4	EPO; JPO;	
		same information same (recording storing)	DERWENT;	
			IBM_TDB	
-	58	\===	USPAT;	2004/06/21 18:30
		and (terminal computer) same (printer	US-PGPUB;	
-		(printing adj (device apparatus machine)))	EPO; JPO;	
		same notif\$5	DERWENT;	
			IBM_TDB	
-	18		USPAT	2004/06/16 17:29
		or ("5058044") or ("5216612") or		
		("5638273") or ("5778381") or ("5931877")		
		or ("6003808") or ("6006171") or		
		("6067486") or ("6101433") or ("6125312") or ("6150959") or ("6170742") or		
	1	("6219597") or ("6343251") or		
	1	("6356823")).PN.		
_	9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/06/21 18:15
	1	(device machine apparatus))) same chang\$3	US-PGPUB;	2004/00/21 10:13
		same (set setting) same administrat\$5	EPO; JPO;	
		bane tocc occurry, bane admiring craces	DERWENT;	
			IBM TDB	
_	19	(set\$4 reconfigur\$5) same administrat\$4	USPAT;	2004/06/21 19:06
	-	same user same (printer (printing adj	US-PGPUB;	
1		(device apparatus machine))) same notif\$7	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	66		USPAT;	2004/06/21 19:07
		(printing adj (device apparatus machine)))	US-PGPUB;	
		same notif\$7	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/06/01 10 01
-	58	(updat\$4 configurat\$4 reconfigurat\$4 set\$5	USPĀT;	2004/06/21 19:31
		chang\$5 modif\$5) same (printer or	US-PGPUB;	
		(printing adj (device machine apparatus)))	EPO; JPO; DERWENT;	
		same (data information) same administrator same user same (computer terminal)	IBM TDB	
1_	501	user same display\$4 same (updat\$4	USPAT;	2004/06/21 20:11
1	551	configurat\$4 reconfigurat\$4 set\$5 chang\$5	US-PGPUB;	
1		modif\$5) same (printer or (printing adj	EPO; JPO;	
1		(device machine apparatus))) and (data	DERWENT;	
I		information) and administrator	IBM_TDB	
-	212	user same display\$4 same (updat\$4	USPĀT;	2004/06/21 19:56
1		configurat\$4 reconfigurat\$4 set\$5 chang\$5	US-PGPUB;	
1		modif\$5) same (printer or (printing adj	EPO; JPO;	
1		(device machine apparatus))) same (data	DERWENT;	
1	ŀ	information) and notifi\$6 and	IBM_TDB	
	0050	administrator	HODAM:	2004/06/21 12 25
-	8252	((358/1.9) or (358/1.15)).CCLS.	USPAT;	2004/06/21 19:35
1			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	19	(user same display\$4 same (updat\$4	USPAT;	2004/06/21 19:35
		configurat\$4 reconfigurat\$4 set\$5 chang\$5	US-PGPUB;	2004/00/21 13:33
		modif\$5) same (printer or (printing adj	EPO; JPO;	
		(device machine apparatus))) same (data	DERWENT;	
		information) and notifi\$6 and	IBM TDB	
		administrator ) and (((358/1.9) or		
		(358/1.15)).CCLS.)	•	
	•		<u> </u>	L

-	73	(user same display\$4 same (updat\$4	USPAT;	2004/06/21 19:37
		configurat\$4 reconfigurat\$4 set\$5 chang\$5	US-PGPUB;	
		modif\$5) same (printer or (printing adj	EPO; JPO;	
		(device machine apparatus))) and (data	DERWENT; IBM_TDB	
		information) and administrator ) and (((358/1.9) or (358/1.15)).CCLS.)	IBM_IDB	
_	15	user same display\$4 same (updat\$4	USPAT;	2004/06/21 19:57
	15	configurat\$4 reconfigurat\$4 set\$5 chang\$5	US-PGPUB;	
		modif\$5) same (printer or (printing adj	EPO; JPO;	
	]	(device machine apparatus))) same (data	DERWENT;	
		information) same notifi\$6 and	IBM_TDB	
		administrator		
-	56520	("400").CLAS.	USPAT;	2004/06/21 19:57
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	7	(user same display\$4 same (updat\$4	USPAT;	2004/06/21 19:58
		configurat\$4 reconfigurat\$4 set\$5 chang\$5	US-PGPUB;	
		modif\$5) same (printer or (printing adj	EPO; JPO;	
		(device machine apparatus))) and (data	DERWENT;	
		information) and administrator ) and	IBM_TDB	
_	114	(("400").CLAS.) user same display\$4 same set\$4 same	USPAT;	2004/06/21 20:12
-	114	user same displays4 same sets4 same   (updat\$4 configurat\$4 reconfigurat\$4	US-PGPUB;	2004/00/21 20.12
		chang\$5 modif\$5) same (printer or	EPO; JPO;	
		(printing adj (device machine apparatus)))	DERWENT;	
		and (data information) and administrator	IBM_TDB	
-	310	user same set\$4 same (updat\$4 configurat\$4	USPAT;	2004/06/21 20:12
		reconfigurat\$4 chang\$5 modif\$5) same	US-PGPUB;	
		(printer or (printing adj (device machine	EPO; JPO;	
		apparatus))) and (data information) and administrator	DERWENT; IBM TDB	
_	40924	("358").CLAS.	USPAT;	2004/06/21 20:12
	10,52,1	,,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(484008) 0770	IBM_TDB	0004/06/01 00 15
-	3	(("400").CLAS.) and (user same set\$4 same	USPAT;	2004/06/21 20:13
		<pre>(updat\$4 configurat\$4 reconfigurat\$4 chang\$5 modif\$5) same (printer or</pre>	US-PGPUB; EPO; JPO;	
		(printing adj (device machine apparatus)))	DERWENT;	
		and (data information) and administrator )	IBM_TDB	
-	86	(user same set\$4 same (updat\$4	USPAT;	2004/06/21 20:13
		configurat\$4 reconfigurat\$4 chang\$5	US-PGPUB;	
		modif\$5) same (printer or (printing adj	EPO; JPO;	
		(device machine apparatus))) and (data information) and administrator ) and	DERWENT;	
		("358").CLAS.)	IBM_TDB	
_	22	("5075875"   "5084875"   "5164842"	USPAT	2004/06/21 20:17
		"5214772"   "5220566"   "5220674"		
		"5226112"   "5247623"   "5268993"		
		"5271065"   "5297246"   "5303336"		
		"5323393"   "5333286"   "5353388"		
		"5361265"   "5371837"   "5438528"     "5559933"   "5580177"   "5699494"		
		"6052204").PN.		
_	199	(printer (printing adj (device apparatus	USPAT;	2004/06/21 20:23
		machine))) same set\$4 same (information	US-PGPUB;	
		data) same administrator	EPO; JPO;	
			DERWENT;	
	_	(484008) 0770	IBM_TDB	0004/05/04 55 55
-	2	(("400").CLAS.) and ((printer (printing	USPAT;	2004/06/21 20:22
		adj (device apparatus machine))) same set\$4 same (information data) same	US-PGPUB;	
		sets4 same (information data) same   administrator)	EPO; JPO; DERWENT;	
<b>I</b> .			IBM TDB	
-	19	(printer (printing adj (device apparatus	USPAT;	2004/07/22 13:06
		machine))) same set\$4 same chang\$5 and	US-PGPUB;	
		(administrator same user same notifi\$6)	EPO; JPO;	
			DERWENT;	
	l		IBM TDB	

			,		
-	91	(printer (printing adj (device apparatus	USPAT;	2004/06/21	20:25
		machine))) same set\$4 same chang\$5 same	US-PGPUB;		
		administrator	EPO; JPO;		
			DERWENT;		
			IBM_TDB	2004/07/22	10.57
-	26		USPAT;	2004/07/22	12:57
		(printing adj (device machine unit))) same	US-PGPUB;		
		(configura\$5) same (notify notification)	EPO; JPO;		
			DERWENT;		
			IBM_TDB	2004/07/22	12.10
-	26		USPAT;	2004/07/22	13:18
		(printing adj (device machine unit))) same	US-PGPUB;	ļ	
		(configura\$5 reconfigur\$5) same (notify	EPO; JPO;		
		notification)	DERWENT;		
	19	(administrator admin) same (printer	IBM_TDB USPAT;	2004/07/22	12.02
-	19	(administrator admin) same (printer (printing adj (device machine unit))) same	US-PGPUB;	2004/07/22	13:02
		(set setting) same (notify notification)	EPO; JPO;		
1		(set setting) same (notify notification)	DERWENT;		
			IBM TDB		
_	1	(administrator admin) same (printer	USPAT;	2004/07/22	12.03
-	*	(printing adj (device machine unit))) same	US-PGPUB;	2004/07/22	13.03
		(notify notification) same terminal same	EPO; JPO;		
		user same chang\$4	DERWENT;		
		abor banic changys	IBM TDB		
<b>+</b> _	3	(administrator admin) same (printer	USPAT;	2004/07/22	13.09
		(printing adj (device machine unit))) same	US-PGPUB;	2001/01/22	15.09
	1	(notify notification) same terminal same	EPO; JPO;		
	1	user	DERWENT;		
		4551	IBM TDB		
_	7	(administrator admin) same (printer	USPAT;	2004/07/22	13:09
		(printing adj (device machine unit))) same	US-PGPUB;	2001, 01, 22	20.03
		(notify notification) same terminal	EPO; JPO;		
		( came comment	DERWENT;		
	]		IBM TDB		
_	17	(printer (printing adj (device apparatus	USPĀT;	2004/07/22	13:06
		machine))) and (terminal same	US-PGPUB;		
		administrator same user same notif\$6)	EPO; JPO;		
			DERWENT;		
	İ		IBM TDB		
-	99		USPAT;	2004/07/22	15:11
		(printing adj (device machine unit))) same	US-PGPUB;		
		(notify notification)	EPO; JPO;		
			DERWENT;		
	_		IBM_TDB		
-	46	(administrator admin) same (printer	USPAT;	2004/07/22	13:09
		(printing adj (device machine unit))) same	US-PGPUB;		
		(notify notification) same user	EPO; JPO;		
			DERWENT;		
	,	(administration of the same to state of	IBM_TDB	2004/03/22	12.10
-	1	(administrator admin) same (printer	USPAT;	2004/07/22	13:19
		(printing adj (device machine unit))) same	US-PGPUB;		
	1	<pre>(configura\$5 reconfigura\$5 chang\$4) same set\$4 same (inform informing informed)</pre>	EPO; JPO;		
		secon same (Intoin Informing Informed)	DERWENT; IBM TDB		
_	8	   (administrator admin) same (printer	USPAT;	2004/07/22	13.10
	°	(printing adj (device machine unit))) same	US-PGPUB;	2004/01/22	13:13
		(configura\$5 reconfigura\$5 chang\$4) same	EPO; JPO;		
		(inform informing informed)	DERWENT;		
		(2.1.201m 111101milling 111101milling)	IBM TDB		
_	53	((administrator admin) same (printer	USPAT;	2004/07/22	19:19
		(printing adj (device machine unit))) same	US-PGPUB;		
		(notify notification)) not ((administrator	EPO; JPO;		
		admin) same (printer (printing adj (device	DERWENT;		
		machine unit))) same (notify notification)	IBM TDB		
		same user)			
] -	30		USPAT;	2004/07/22	15:13
		(administrator admin) and ((printer	US-PGPUB;		
		(printing adj (device machine apparatus)))	EPO; JPO;		
		same set\$4 same chang\$4 same information)	DERWENT;		
			IBM_TDB		İ

-	5	(administrator admin) same (printer	USPAT;	2004/07/22 15:11
		(printing adj (device machine unit))) same	US-PGPUB;	
		(notify notification) and MIB	EPO; JPO; DERWENT;	
	1		IBM TDB	
_	7	(notify notification inform\$3) same	USPAT;	2004/07/22 15:16
	<b>'</b>	(administrator admin) and ((printer	US-PGPUB;	2001,01,22 20120
		(printing adj (device machine apparatus)))	EPO; JPO;	
		same set\$4 same information) and MIB	DERWENT;	
			IBM_TDB	
-	3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/07/22 15:17
		(administrator admin) same MIB) and	US-PGPUB;	
		(printer (printing adj (device machine	EPO; JPO;	
		apparatus)))	DERWENT;	
	12	(notify notification inform\$3) same	IBM_TDB USPAT;	2004/07/22 15:24
_	12	(administrator admin) and ((printer	US-PGPUB;	2004/07/22 13:24
		(printing adj (device machine apparatus)))	EPO; JPO;	
		same MIB)	DERWENT;	
		·	IBM TDB	
-	5	(notify notification inform\$3 sinal\$4)	USPĀT;	2004/07/22 15:46
		same (administrator admin) same MIB	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	9	(notify notification inform\$3 signal\$4)	IBM_TDB USPAT;	2004/07/22 15:40
-		same (administrator admin) same MIB	US-PGPUB;	2004/01/22 13:40
		Same (daministrator damin) same nib	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	8	computer same network same (administrator	USPĀT;	2004/07/22 15:40
		admin) same MIB	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
İ_	14	   (printer or (printing adj (device machine	IBM_TDB USPAT;	2004/07/22 19:24
	14	aparatus))) and information same setting	US-PGPUB;	2004/07/22 13.24
		same (configur\$6 reconfigur\$6) same (store	EPO; JPO;	
		storing) same memory same display	DERWENT;	
			IBM_TDB	
-	247	(printer or (printing adj (device machine	USPAT;	2004/07/22 19:24
		aparatus))) and information same setting	US-PGPUB;	
		same (store storing) same memory same	EPO; JPO;	
ľ		display	DERWENT; IBM TDB	
_	79	   (printer or (printing adj (device machine	USPAT;	2004/07/22 19:35
		aparatus))) same information same setting	US-PGPUB;	
		same (store storing) same memory same	EPO; JPO;	
		display	DERWENT;	
	;		IBM_TDB	0004/07/00 55 55
-	13		USPAT;	2004/07/22 20:02
		<pre>same (information same setting same stor\$3 same memory same (display displaying))</pre>	US-PGPUB; EPO; JPO;	
		bame memory same (dispray dispraying);	DERWENT;	
			IBM TDB	
-	1	(printing adj (device machine aparatus))	USPAT;	2004/07/22 20:08
		and (printing same condition same	US-PGPUB;	
		information same setting same stor\$3 same	EPO; JPO;	
		memory same (display displaying))	DERWENT;	
	33	Imminting add (danta mark)	IBM_TDB	2004/07/20 22 11
-	33	<pre>(printing adj (device machine aparatus)) and (printing same information same</pre>	USPAT; US-PGPUB;	2004/07/22 20:44
	i	setting same stor\$3 same memory same	EPO; JPO;	
		(display displaying))	DERWENT;	
			IBM TDB	
-	39	(printing adj (device machine aparatus))	USPĀT;	2004/07/22 20:45
		same setting same stor\$3 same memory same	US-PGPUB;	
]		(display displaying)	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	